


IN THE CLAIMS

The status of each claim in the present application is listed below.

Claims 1-35: (Canceled).

36. (New) A process for preparing a 1,3,5-triazine carbamate from a 1,3,5-triazine carbamate of the formula (II):



wherein

Y<sup>1</sup> is hydrogen or a group of formula -(CO)-O-R<sup>4</sup>,


Y<sup>2</sup> is hydrogen or a group of formula -(CO)-O-R<sup>5</sup>, and

R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> each independently of one another are the radical of an alcohol or amine,

comprising

reacting the 1,3,5-triazine carbamate of formula (II) at a temperature of 40 to 120°C with an alcohol or an amine in the presence of at least one catalyst selected from the group consisting of tin compounds, cesium salts, alkali metal (hydrogen)carbonates and tertiary amines.

37. (New) The process according to Claim 36, wherein the alcohol is an alkoxyated monool of formula:



wherein




$R^8$  can be  $C_1 - C_{18}$  alkyl,

$n$  is a positive integer between 1 and 50 and

each  $X_i$  for  $i = 1$  to  $n$  can be selected independently of the others from the group consisting of  $-CH_2-CH_2-O-$ ,  $-CH_2-CH(CH_3)-O-$ ,  $-CH(CH_3)-CH_2-O-$ ,  $-CH_2-C(CH_3)_2-O-$ ,  $-C(CH_3)_2-CH_2-O-$ ,  $-CH_2-CHVin-O-$ ,  $-CHVin-CH_2-O-$ ,  $-CH_2-CHPh-O-$  and  $-CHPh-CH_2-O-$ , in which Ph is phenyl and Vin is vinyl.

38. (New) The process according to Claim 36, wherein the alcohol is a monool which carries at least one polymerizable group and one hydroxyl group.

39. (New) The process according to Claim 36, wherein the alcohol is a monool is represented by the formula:



wherein

$R^9$  is hydrogen or methyl,

$R^{10}$  is a divalent linear or branched  $C_2-C_{18}$  alkylene radical,

$X_i$  is  $-CH_2-CH_2-O-$ ,  $-CH_2-CH(CH_3)-O-$ ,  $-CH(CH_3)-CH_2-O-$ ,  $-CH_2-C(CH_3)_2-O-$ ,  $-C(CH_3)_2-CH_2-O-$ ,  $-CH_2-CHVin-O-$ ,  $-CHVin-CH_2-O-$ ,  $-CH_2-CHPh-O-$  and  $-CHPh-CH_2-O-$ , in which Ph is phenyl and Vin is vinyl, and

k is a positive integer from 1 to 20.

40. (New) The process according to Claim 36, wherein the alcohol is a polyetherol or polyesterol containing at least one polymerizable group and one hydroxyl group.

41. (New) The process according to Claim 36, wherein the a 1,3,5-triazine carbamate is reacted with the alcohol.

42. (New) The process according to Claim 36, wherein the a 1,3,5-triazine carbamate is reacted with the amine.

43. (New) The process according to Claim 36, wherein the a 1,3,5-triazine carbamate is reacted with the alcohol, wherein the alcohol is represented by the formula  $R^1-OH$ , wherein  $R^1$  is  $C_1 - C_{18}$  alkyl,  $C_2 - C_{18}$  alkyl, optionally interrupted by one or more oxygen and/or sulfur atoms and/or by one or more substituted or unsubstituted imino groups, or are  $C_2 - C_{18}$  alkenyl,  $C_6 - C_{12}$  aryl,  $C_5 - C_{12}$  cycloalkyl or a five- or six-membered heterocycle containing oxygen, nitrogen and/or sulfur atoms, wherein said radicals are optionally substituted by aryl, alkyl, aryloxy, alkyloxy, heteroatoms and/or heterocycles, or else are radicals

$-(CO)-R^7$ ,  $-(CO)-O-R^7$  or  $-(CO)-(NH)-R^7$ ,

in which

$R^7$  can be  $C_1 - C_{18}$  alkyl,  $C_2 - C_{18}$  alkyl, optionally interrupted by one or more oxygen and/or sulfur atoms and/or by one or more substituted or unsubstituted imino groups, or can be  $C_2 - C_{18}$  alkenyl,  $C_6 - C_{12}$  aryl,  $C_5 - C_{12}$  cycloalkyl or a five- or six-membered heterocycle containing oxygen, nitrogen and/or sulfur atoms, said radicals optionally substituted by aryl, alkyl, aryloxy, alkyloxy, heteroatoms and/or heterocycles.

44. (New) The process according to Claim 36, wherein the a 1,3,5-triazine carbamate is reacted with the amine, wherein the alcohol is represented by the formula  $R^1-NH_2$ , wherein  $R^1$  is  $C_1 - C_{18}$  alkyl,  $C_2 - C_{18}$  alkyl, optionally interrupted by one or more oxygen and/or sulfur atoms and/or by one or more substituted or unsubstituted imino groups, or are  $C_2 - C_{18}$  alkenyl,  $C_6 - C_{12}$  aryl,  $C_5 - C_{12}$  cycloalkyl or a five- or six-membered heterocycle containing oxygen, nitrogen and/or sulfur atoms, wherein said radicals are optionally substituted by aryl, alkyl, aryloxy, alkyloxy, heteroatoms and/or heterocycles, or else are radicals

$-(CO)-R^7$ ,  $-(CO)-O-R^7$  or  $-(CO)-(NH)-R^7$ ,

in which

$R^7$  can be  $C_1 - C_{18}$  alkyl,  $C_2 - C_{18}$  alkyl, optionally interrupted by one or more oxygen and/or sulfur atoms and/or by one or more substituted or unsubstituted imino groups, or can be  $C_2 - C_{18}$  alkenyl,  $C_6 - C_{12}$  aryl,  $C_5 - C_{12}$  cycloalkyl or a five- or six-membered heterocycle containing oxygen, nitrogen and/or sulfur atoms, said radicals optionally substituted by aryl, alkyl, aryloxy, alkyloxy, heteroatoms and/or heterocycles.

45. (New) The process according to Claim 36, wherein the a 1,3,5-triazine carbamate is reacted with the alcohol and the alcohol is separated by distillation from the reaction mixture.

46. (New) The process according to Claim 36, wherein the catalyst comprises a tin compound.

47. (New) The process according to Claim 36, wherein the catalyst comprises a cesium salt.

48. (New) The process according to Claim 36, wherein the catalyst comprises an alkali metal (hydrogen)carbonate.

49. (New) The process according to Claim 36, wherein the catalyst comprises a tertiary amine.